



# Permost Uni Fly Spray

AN INSECTICIDE FOR PROFESSIONAL USE AGAINST FLYING AND CRAWLING INSECTS SUCH AS FLIES, MOSQUITOES, WASPS, ANTS, COCKROACHES, EARWIGS, BRISTLETAILS, FLEAS, BEETLES, MITES, TICKS, MOTHS AND LICE. THE PRODUCT IS SOLVENT BASED AND READY TO USE.

## FOR PUBLIC HYGIENE, FOODSTORE PRACTICE AND ANIMAL HUSBANDRY

For use in domestic situations including hospitals (excluding occupied wards), in and around military barracks, in and around farm buildings, in bulk milk rooms, dairies and milking parlours. For use in animal and avian housing, ant and wasps nests and refuse tips. For use on hard porous and non-porous surfaces.

### CONTAINS

PERMETHRIN 0.31% w/w (2.5 g/L),  
TETRAMETHRIN 0.124% w/w (1.0 g/l)

### DIRECTIONS FOR USE

PERMOST UNI is ready to use and should not be diluted or mixed with other chemicals.

#### SPACE TREATMENT AND FOGGING FOR THE CONTROL OF FLYING INSECTS

PERMOST UNI should be applied through a hand sprayer or a fan assisted rotary atomiser as a fine mist. Alternatively the product can be applied through a fogging machine. Apply 1 ml of product to 1 cubic metre. One litre is sufficient to treat 1000 cubic metres.

#### SURFACE SPRAYING FOR THE CONTROL OF FLYING AND CRAWLING INSECTS.

PERMOST UNI should be applied through a hand sprayer or boom and nozzle sprayer apparatus as a medium or coarse spray. Apply 10ml of product per square metre. One litre is sufficient to treat 100 square metres.

## DANGER



#### Contains:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT

**H304** May be fatal if swallowed and enters airways.

**H410** Very toxic to aquatic life with long lasting effects.

**P273** Avoid release to the environment

**P301+310** IF SWALLOWED: Immediately call a POISON CENTER/Doctor.

**P331** Do NOT induce vomiting.

**P391** Collect spillage.

**P405** Store locked up.

**P501** Dispose of contents/container in accordance with national regulations.

**EUH208** Contains Permethrin (25:75) Technical. May produce an allergic reaction.

TO AVOID RISKS TO MAN AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTIONS FOR USE.





## USE PRECAUTIONS

USE ONLY AS DIRECTED ON THE LABEL.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND SUITABLE APPROVED RESPIRATORY EQUIPMENT AND GOGGLES WHEN APPLYING THE PRODUCT THROUGH A FOGGING MACHINE, SPRAYING, OR HANDLING THE PRODUCT.

DO NOT SPILL OR SPRAY DIRECTLY ONTO PLASTIC MATERIALS. THIS PRODUCT MUST NOT BE USED AGAINST HOUSEFLIES IN INTENSIVE OR CONTROLLED ENVIRONMENT ANIMAL HOUSES BECAUSE IT IS LIKELY TO CAUSE CONTROL FAILURE DUE TO INSECTICIDE RESISTANCE.

COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

WASH ANY CONTAMINATION from eyes or skin immediately.

WASH HANDS AND EXPOSED SKIN before meals and after use. Keep only in original container. Keep container tightly closed.

KEEP IN A SAFE PLACE.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

ENSURE ADEQUATE VENTILATION when applying. VENTILATE TREATED AREA THOROUGHLY after application.

THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY. KEEP OUT OF REACH OF CHILDREN. Keep away from sources of ignition - No smoking.

DO NOT APPLY in the presence of naked flames, hot surfaces or unprotected electrical equipment.

**STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. FOR USE ONLY AS AN INSECTICIDE. FOR USE ONLY BY PROFESSIONAL OPERATORS.** Application rate: See "DIRECTIONS FOR USE" for details on dose rates. Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval. READ ALL PRECAUTIONS BEFORE USE. HSE No. 6399 - PCS No. 96763.

## PRECAUTIONS

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 (as amended) apply to the use of this product at work. AVOID EXCESSIVE CONTAMINATION OF COVERALLS. DO NOT BREATHE gas/fumes/vapour/spray. In case of insufficient ventilation wear suitable respiratory equipment. Guidance on suitable respiratory protective equipment and eye protection is provided in HSE Booklet HS(G)53: "The Selection, Use and Maintenance of Respiratory Equipment - A Practical Guide."

DO NOT APPLY TO CLOTHING OR HUMAN BEDDING. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

REMOVE OR COVER FISH TANKS AND BOWLS before application. Do not contaminate ground, water bodies or water courses with chemicals or used container.

HAZARDOUS TO BEES. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. COVER ALL WATER STORAGE TANKS before application. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. Protect milk machinery and milk containers from contamination. DO NOT APPLY DIRECTLY TO ANIMALS.

IF SWALLOWED, do not induce vomiting: seek medical advice immediately and show this container or label. Do not empty into drains.

# 5 L

### HOCKLEY INTERNATIONAL LTD

Hockley House, 3 Longstone Road, Ashbrook Office Park,  
Manchester M22 5LB, United Kingdom.

Telephone: +44 (0)161 209 7400, Fax: +44 (0)161 209 7401

**UFI:** 3XR2-YOKV-F00A-65PM

**Batch No:**

**Manuf. Date:**

**Expiry Date:**

