

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : Muskil Pasta Fluo-NP
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category : Professional use
Use of the substance/mixture : Ready To Use Rodenticide (PT-14 Biocidal Product)
Use of the substance/mixture : Rodenticides

1.2.2. Uses advised against

Restrictions on use : To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements, Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Refer to the CRRU UK Code of Best Practice (or equivalent) for guidance.

1.3. Details of the supplier of the safety data sheet**Supplier**

Barrettine Environmental Health Ltd
St Ivel Way
Warmley
BS30 8TY Bristol - United Kingdom
T +44 (0) 1179 672222 - F +44 (0) 1179 614122
beh@barrettine.co.uk - www.barrettine.co.uk

Distributor

Barrettine (Europe) Ltd
Unit 3D North Point House, North Point Business Park,
New Mallow Road
T23 AT2P Cork - Ireland
T +353 21 206 6530
sales@barrettine.co.uk - www.barrettine.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 1179 672222 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.)
+44 (0) 1270 502891 (Out of hours emergency number)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Reproductive toxicity, Category 1A H360D
Specific target organ toxicity – Repeated exposure, Category 2 H373
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP)

: Danger

Contains

: difenacoum (ISO); 3-(3- biphenyl-4-yl-1,2,3,4- tetrahydro-1-naphthyl)- 4-hydroxycoumarin; Bromadiolone (ISO); 3- [3-(4'-bromobiphenyl- 4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H- chromen-2-one

Hazard statements (CLP)

: H360D - May damage the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust.
P280 - Wear eye protection, protective clothing, protective gloves.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P314 - Get medical advice/attention if you feel unwell.
P405 - Store locked up.

EUH-statements

: EUH208 - Contains formaldehyde(50-00-0). May produce an allergic reaction.

Extra phrases

: Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Refer to the CRRU UK Code of Best Practice (or equivalent) for guidance.
When this product is supplied to a user for the control of rodents, it shall only be supplied to a professional user holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

2.3. Other hazards

Other hazards which do not result in classification

: This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.

Antidote: Vitamin K1 administered by medical/veterinary personnel only.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
formaldehyde substance with a Community workplace exposure limit	(CAS-No.) 50-00-0 (EC-No.) 200-001-8 (EC Index-No.) 605-001-00-5 (REACH-no) 01-2119488953-20	< 0.1	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

difenacoum (ISO); 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin	(CAS-No.) 56073-07-5 (EC-No.) 259-978-4 (EC Index-No.) 607-157-00-X	0.0025	Repr. 1B, H360D Acute Tox. 1 (Inhalation), H330 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Oral), H300 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Bromadiolone (ISO); 3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-chromen-2-one	(CAS-No.) 28772-56-7 (EC-No.) 249-205-9 (EC Index-No.) 607-716-00-8	0.0025	Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation), H330 Acute Tox. 1 (Inhalation:dust,mist), H330 Repr. 1B, H360D STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits
formaldehyde	(CAS-No.) 50-00-0 (EC-No.) 200-001-8 (EC Index-No.) 605-001-00-5 (REACH-no) 01-2119488953-20	(0.2 ≤ C ≤ 100) Skin Sens. 1, H317 (5 ≤ C < 25) Skin Irrit. 2, H315 (5 ≤ C < 25) Eye Irrit. 2, H319 (5 ≤ C ≤ 100) STOT SE 3, H335 (25 ≤ C ≤ 100) Skin Corr. 1B, H314
difenacoum (ISO); 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin	(CAS-No.) 56073-07-5 (EC-No.) 259-978-4 (EC Index-No.) 607-157-00-X	(0 < C < 0.02) STOT RE 2, H373 (0.003 ≤ C ≤ 100) Repr. 1B, H360D (0.02 ≤ C ≤ 100) STOT RE 1, H372
Bromadiolone (ISO); 3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-chromen-2-one	(CAS-No.) 28772-56-7 (EC-No.) 249-205-9 (EC Index-No.) 607-716-00-8	(0.0005 ≤ C < 0.005) STOT RE 2, H373 (0.003 ≤ C ≤ 100) Repr. 1B, H360D (0.005 ≤ C ≤ 100) STOT RE 1, H372

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Specific treatment (see supplemental first aid instruction on this label).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If necessary seek medical advice.
First-aid measures after skin contact	: Rinse and then wash skin thoroughly with water and soap. Remove contaminated clothing. If necessary seek medical advice.
First-aid measures after eye contact	: In case of contact, immediately rinse eyes with plenty of water for at least 15 minutes. If necessary seek medical advice.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine. Antidote: Vitamin K1 administered by medical/veterinary personnel only.
------------------	---

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

The primary treatment are the antidote therapy and the clinical assessment. Antidote: Vitamin K1 (phytomenadione). The effectiveness of the treatment should be monitored by measuring the clotting time. Do not interrupt the treatment until the clotting time is back to normality and is stable. This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.

Antidote: Vitamin K1 administered by medical/veterinary personnel only. Consult a Poison Control Centre.

UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide (CO₂).
Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information : Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Do not breathe dust.
Measures in case of dust release : Keep unprotected persons away.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorised site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations". See Section 7 for information on safe handling.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from domestic and farm animals. Keep out of the reach of children.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool. Keep locked up and out of reach of children. Keep away from domestic and farm animals.
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.
Storage area	: Protect from frost. Protect from humidity and water.

7.3. Specific end use(s)

Rodenticide. When this product is supplied to a user for the control of rodents, it shall only be supplied to a professional user holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Muskil Pasta Fluo-NP	
United Kingdom - Occupational Exposure Limits	
Local name	Sucrose
WEL TWA (OEL TWA)	10 mg/m ³
WEL STEL (OEL STEL)	20 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

formaldehyde (50-00-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Formaldehyde
WEL TWA (OEL TWA)	2.5 mg/m ³ 2 ppm
WEL STEL (OEL STEL)	2.5 mg/m ³ 2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Exposure limit values for the other components

SUCROSE (57-50-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Sucrose
WEL TWA (OEL TWA)	10 mg/m ³
WEL STEL (OEL STEL)	20 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

2,6-Di-tert-butyl-p-cresol (128-37-0)	
United Kingdom - Occupational Exposure Limits	
Local name	2,6-Di-tert-butyl-p-cresol
WEL TWA (OEL TWA)	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

STARCH (9005-25-8)	
United Kingdom - Occupational Exposure Limits	
Local name	Starch

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

STARCH (9005-25-8)

WEL TWA (OEL TWA)	4 mg/m ³ respirable 10 mg/m ³ total inhalable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Protective clothing. Gloves. Wear chemically resistant gloves tested to EN374.

Hand protection:

Wear chemically resistant gloves tested to EN374

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: red.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
pH solution	: 6.9 (CIPAC MT 75.3 - 1% H ₂ O)
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: <
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1.282 g/ml

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Keep only in the original container.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

difenacoum (ISO); 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin (56073-07-5)	
LD50 oral rat	1.8 mg/kg Source: HSDB
LD50 dermal rat	50 mg/kg Source: HSDB
LC50 Inhalation - Rat	50 mg/kg

Bromadiolone (ISO); 3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-chromen-2-one (28772-56-7)	
LD50 oral rat	≥ 0.56 – ≤ 0.84 mg/kg
LD50 dermal rat	1.71 mg/kg
LC50 Inhalation - Rat	0.00043 mg/l/4h

formaldehyde (50-00-0)	
LD50 oral rat	460 mg/kg Source: ECHA
LD50 dermal rabbit	292 mg/kg Source: GESTIS

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

formaldehyde (50-00-0)	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity	: May damage the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

Muskil Pasta Fluo-NP	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Not rapidly degradable	

difenacoum (ISO); 3-(3- biphenyl-4-yl-1,2,3,4- tetrahydro-1-naphthyl)- 4-hydroxycoumarin (56073-07-5)	
LC50 - Fish [1]	0.1 mg/l Source: HSDB

formaldehyde (50-00-0)	
LC50 - Fish [1]	6.7 mg/l Test organisms (species): <i>Morone saxatilis</i>
EC50 - Crustacea [1]	5.8 mg/l Test organisms (species): <i>Daphnia pulex</i>
EC50 72h - Algae [1]	3.48 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
EC50 72h - Algae [2]	4.89 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
NOEC (chronic)	≥ 6.4 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'
NOEC chronic fish	≥ 48 mg/l Test organisms (species): <i>Oryzias latipes</i> Duration: '28 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

difenacoum (ISO); 3-(3- biphenyl-4-yl-1,2,3,4- tetrahydro-1-naphthyl)- 4-hydroxycoumarin (56073-07-5)	
Partition coefficient n-octanol/water (Log Pow)	6.09 – 6.13 Source: HSDB

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

formaldehyde (50-00-0)

Partition coefficient n-octanol/water (Log Pow) 0.35 Source: ECHA

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Do not dispose of with domestic waste.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Bromadiolone (28772-56-7)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

United Kingdom

British National Regulations

: Authorisation Holder: ARROW REGULATORY LTD, 149-155 CANAL ST, NOTTINGHAM, NG1 7HR, UK. Authorisation No GB-2013-0756.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
EUH208	Contains formaldehyde(50-00-0). May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Muskil Pasta Fluo-NP

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 12

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.